

# EXPRESS SYSTEM LIST

## VPX CHASSIS



### DESCRIPTION

These platforms support applications using 3U or 6U VPX (VITA 46) or OpenVPX (VITA 65) boards. Available in our popular E-Frame and tower platforms. With a rugged aluminum construction, the versatile concept chassis design allows easy access for test and system architecture development. Elma Express System products are in stock and available to ship in 2 weeks for the first 1 or 2 units, and 4 - 6 weeks for the remaining balance of your order. All units ship assembled, wired, and tested.

#### Type 32 Tower, 3U 5-Slot VPX

<b>PART NUMBER</b>	32V05PSX68Y4VCM0
<b>Backplane Configuration</b>	5 Slots
<b>Bare Board</b>	VPX, 6U (VITA 46)
<b>Backplane Connector</b>	RT-2 (J0-J6) 6U
<b>Drives</b>	Not installed
<b>Height</b>	6U
<b>Width</b>	84HP
<b>Rear IO</b>	3U x 80mm cards
<b>Depth</b>	16in.
<b>Card Orientation</b>	Vertical
<b>PSU Input</b>	90-230VAC (Fixed)
<b>PSU Output</b>	1334W
<b>Voltage IO</b>	Level 0

#### Type 39 E-Frame, 3U 6-Slot VPX

<b>PART NUMBER</b>	39E06WUX94Y2VPBX
<b>Backplane Configuration</b>	6 Slots
<b>Bare Board</b>	VPX 3U
<b>Backplane Connector</b>	RT-2 (J0-J2) 3U
<b>Drives</b>	Not installed
<b>Height</b>	9U
<b>Width</b>	49HP
<b>Rear IO</b>	3U x 80mm cards
<b>Depth</b>	11.42in.
<b>Card Orientation</b>	Vertical
<b>PSU Input</b>	90-264 VAC
<b>PSU Output</b>	2 x 250W, plug in
<b>Voltage IO</b>	Not installed

#### Type 39 E-Frame, 4-Slot 6U OpenVPX

<b>PART NUMBER</b>	39E04ASXC8Y2VCF0
<b>Backplane Configuration</b>	4 Slots
<b>Bare Board</b>	6U OpenVPX, 1" pitch (VITA 65)
<b>Backplane Connector</b>	RT-2 (J0-J6) 6U
<b>Drives</b>	No Mounting
<b>Height</b>	12U
<b>Width</b>	84HP
<b>Rear IO</b>	3U x 80mm cards
<b>Depth</b>	12in.
<b>Card Orientation</b>	Vertical
<b>PSU Input</b>	90-230VAC (Fixed)
<b>PSU Output</b>	685W
<b>Voltage IO</b>	Not installed

#### Type 39 E-Frame, 5-Slot 6U OpenVPX

<b>PART NUMBER</b>	39E05BUX94Y2VPB0
<b>Backplane Configuration</b>	5 Slot
<b>Bare Board</b>	3U OpenVPX, 1" pitch (VITA 65)
<b>Backplane Connector</b>	RT-2 (J0-J2) 3U
<b>Drives</b>	No Mounting
<b>Height</b>	9U
<b>Width</b>	49HP
<b>Rear IO</b>	3U x 80mm cards
<b>Depth</b>	11.42in.
<b>Card Orientation</b>	Vertical
<b>PSU Input</b>	90-230VAC (2 x HS, N + 1)
<b>PSU Output</b>	250W each
<b>Voltage IO</b>	Not installed

# EXPRESS SYSTEM LIST

## VPX CHASSIS

### Type 39 E-Frame, 2-Slot 6U VPX

<b>PART NUMBER</b>	39E02PSX94Y2VCEX
<b>Backplane Configuration</b>	2 Slot
<b>Bare Board</b>	6U VPX (VITA 46)
<b>Backplane Connector</b>	RT-2 (J0-J6) 6U
<b>Drives</b>	No Mounting
<b>Height</b>	9U
<b>Width</b>	42HP
<b>Rear IO</b>	3U x 80mm cards
<b>Depth</b>	13in.
<b>Card Orientation</b>	Vertical
<b>PSU Input</b>	90-230VAC (Fixed)
<b>PSU Output</b>	700W
<b>Voltage IO</b>	Not installed

© Copyright 2021 by Elma Electronic Inc. Subject to technical modifications, all data supplied without liability.

#### Please contact our sales team for more details.

United States: +1 510 656 3400

France: +33 388 56 72 50

Israel: +972 3 930 50 25

Switzerland: +41 44 933 41 11

Germany: +49 7231 97 34 0

Singapore: +65 6479 8552

United Kingdom: +44 1234 838 822